

QUALITY CERTIFICATE

Laboratory report number	
Customer	Gazozo Sp. Z O.O.
Good declared	Propan R-290
Date of test	14.07.2022
Place of test	
Sample description	Aerosol 14.07.2022
Date of completion of laboratory tests	14.07.2022
Date of issue of the report	14.07.2022

Result of chemical analysis:

Parametr	Unit	Result of analysis
1. amount C1	% m/m	under 0.1
2. amount C2		0.1
3. amount C3		99.9
4. amount C4		under 0.1
5. amount C5		under 0.1
1. Methane	% m/m	under 0.1
2. Ethane		0.1
3. Ethene		under 0.1
4. Propane		99.9
5. Propene		0.1
6. i-butane		under 0.1
7. Propadiene		under 0.1
8. n-butane		under 0.1
9. 2-trans-butene		under 0.1
10. 1-butene		under 0.1
11. i-butene		under 0.1
12. 2-cis-butene		under 0.1
13. 2,2-dimethyl		under 0.1
14. i-pentane		under 0.1
15. n-pentane		under 0.1
16. 1,3-butadiene		under 0.1
Total sulfur content	mg/kg	under 1.0
Smell	-	Imperceptible
Relative vapor pressure in. 20°C	kPa	7,28
Olefins	% m/m	0.1
Water content	-	Not found

Analysis of material from bottle 2kg

This report reflects the results in time and place of inspection

ORYGINAL